ELSEVIER

Brain Research 779 (1998) 364–366

BRAIN RESEARCH

Author Index

Adams, D.T., see Login, I.S. (779) 33
Akaika, A., see Shimohama, S. (779) 359
Akaike, N., see Rhee, J.-S. (779) 9
Andreassi II, J.L., Eggleston, W.B., Fu, G. and Stewart, J.K.
Phenylethanolamine *N*-methyltransferase mRNA in rat hypothalamus and cerebellum (779) 289
Anisman, H., Kokkinidis, L., Borowski, T. and Merali, Z.
Differential effects of interleukin (IL)-1β, IL-2 and IL-6 on responding for rewarding lateral hypothalamic stimulation (779) 177
Arce, A., see Gil-Loyzaga, P. (779) 53
Arvanov, V.L., see Wang, R.Y. (779) 309

Baird, A., see Fenton, H. (779) 262
Bart, R.D., see Morimoto, Y. (779) 170
Bellgowan, P.S.F., see Helmstetter, F.J. (779) 104
Bermúdez-Rattoni, F., see Escobar, M.L. (779) 314
Bodnar, R.J., see Pavlovic, Z.W. (779) 158
Borgers, M., see Dispersyn, G. (779) 350
Borowski, T., see Anisman, H. (779) 177
Bouma, M., see Enrico, P. (779) 205
Brooke, J.D., see Cheng, J. (779) 280

Caldarola-Pastuszka, M., see Wolf, A. (779) 84
Cardinali, D.P., see Gil-Loyzaga, P. (779) 53
Carr, K.D., Park, T.H., Zhang, Y. and Stone, E.A.
Neuroanatomical patterns of Fos-like immunoreactivity induced by naltrexone in food-restricted and ad libitum fed rats (779) 26
Cebere, A., see Cebers, G. (779) 194
Cebers, G., Cebere, A. and Liljequist, S.
Metabolic inhibition potentiates AMPA-induced Ca^{2+} fluxes and neurotoxicity in rat cerebellar granule cells (779) 194
Chao, V., see Escobar, M.L. (779) 314
Cheng, J., Brooke, J.D., Misiaszek, J.E. and Staines, W.R.
Crossed inhibition of the soleus H reflex during passive pedalling movement (779) 280
Chih, C.-P., see Roberts Jr., E.L. (779) 271
Chikuma, T., see Takeda, K. (779) 320
Choe, W., Stoica, G., Lynn, W. and Wong, P.K.Y.
Neurodegeneration induced by MoMuLV-*ts*1 and increased expression of Fas and TNF-α in the central nervous system (779) 1

Day, A.L., see Shimohama, S. (779) 359
De Jong, M., see Dispersyn, G. (779) 350
De la Torre, J.C., Nelson, N., Sutherland, R.J. and Pappas, B.A.
Reversal of ischemic-induced chronic memory dysfunction in aging rats with a free radical scavenger–glycolytic intermediate combination (779) 285
De Vries, J.B., see Enrico, P. (779) 205
De Weerd, H., see Van der Want, J.J.L. (779) 342
Dispersyn, G., Nuydens, R., De Jong, M., Borgers, M. and Geerts, H.
Altered $[Ca^{2+}]$ homeostasis in PC12 cells after nerve growth factor deprivation (779) 350
Dluzen, D.E., see Shang, Y. (779) 119
Domańska-Janik, K., see Zabłocka, B. (779) 254
Donahey, J.C.K., Van Dijk, G., Woods, S.C. and Seeley, R.J.
Intraventricular GLP-1 reduces short- but not long-term food intake or body weight in lean and obese rats (779) 75
Duffin, J.R., see Klein, B.G. (779) 136
Dutia, M.B., see Magnusson, A.K. (779) 334

Ebihara, S., see Yoshimura, T. (779) 188
Edgar, D.M., see Ruby, N.F. (779) 338
Eggleston, W.B., see Andreassi II, J.L. (779) 289
Enrico, P., Bouma, M., De Vries, J.B. and Westerink, B.H.C.
The role of afferents to the ventral tegmental area in the handling stress-induced increase in the release of dopamine in the medial prefrontal cortex: a dual-probe microdialysis study in the rat brain (779) 205
Escobar, M.L., Chao, V. and Bermúdez-Rattoni, F.
In vivo long-term potentiation in the insular cortex: NMDA receptor dependence (779) 314
Esquifino, A., see Gil-Loyzaga, P. (779) 53

Fenton, H., Finch, P.W., Rubin, J.S., Rosenberg, J.M., Taylor, W.G., Kuo-Leblanc, V., Rodriguez-Wolf, M., Baird, A., Schipper, H.M. and Stopa, E.G.
Hepatocyte growth factor (HGF/SF) in Alzheimer's disease (779) 262
Finch, P.W., see Fenton, H. (779) 262
Fishman, P.S. and Parks, D.A.
Death of transcallosal neurons after close axotomy (779) 231

Follett, K.A., see Yang, S.-w. (779) 41
Friedman, M.I., see Horn, C.C. (779) 17
Fu, G., see Andreassi II, J.L. (779) 289
Fueta, Y., Kawano, H., Ono, T., Mita, T., Fukata, K. and Ohno, K.
Regional differences in hippocampal excitability manifested by paired-pulse stimulation of genetically epileptic El mice (779) 324
Fukata, K., see Fueta, Y. (779) 324

Geerts, H., see Dispersyn, G. (779) 350
Georgiev, V.P. and Tchekalarova, J.D.
Interaction of angiotensin II and adenosine receptors in pentylenetetrazol-induced kindling in mice (779) 259
Gil-Loyzaga, P., Vicente-Torres, M.A., Arce, A., Cardinali, D.P. and Esquifino, A.
Effect of superior cervical ganglionectomy on catecholamine concentration in rat cochlea (779) 53
Gold, P.E., see Login, I.S. (779) 33
Gotoh, H., see Kato, H. (779) 329
Gramsbergen, A., see Van der Want, J.J.L. (779) 342
Greenwald, D.L., see Shimohama, S. (779) 359

Hall, E.D. and Yonkers, P.A.
Attenuation of motor nerve terminal repetitive discharge by the 21-aminosteroid tirilazad: evidence of a neural calcium antagonist action (779) 346
Hanada, K., see Ochi, K. (779) 276
Heller, H.C., see Ruby, N.F. (779) 338
Helmstetter, F.J., Tershner, S.A., Poore, L.H. and Bellgowan, P.S.F.
Antinociception following opioid stimulation of the basolateral amygdala is expressed through the periaqueductal gray and rostral ventromedial medulla (779) 104
Hertel, P., see Hildebrand, B.E. (779) 214
Hildebrand, B.E., Nomikos, G.G., Hertel, P., Schilström, B. and Svensson, T.H.
Reduced dopamine output in the nucleus accumbens but not in the medial prefrontal cortex in rats displaying a mecamylamine-precipitated nicotine withdrawal syndrome (779) 214
Hisaki, H., see Kubota, M. (779) 297
Horn, C.C. and Friedman, M.I.
2,5-Anhydro-D-mannitol induces Fos-like immunoreactivity in hindbrain and forebrain: relationship to eating behavior (779) 17
Hurd, Y.L., see Suzuki, M. (779) 58

ELSEVIER

Brain Research 779 (1998) 364–366

BRAIN RESEARCH

Author Index

Adams, D.T., see Login, I.S. (779) 33
Akaika, A., see Shimohama, S. (779) 359
Akaike, N., see Rhee, J.-S. (779) 9
Andreassi II, J.L., Eggleston, W.B., Fu, G. and Stewart, J.K.
Phenylethanolamine *N*-methyltransferase mRNA in rat hypothalamus and cerebellum (779) 289
Anisman, H., Kokkinidis, L., Borowski, T. and Merali, Z.
Differential effects of interleukin (IL)-1β, IL-2 and IL-6 on responding for rewarding lateral hypothalamic stimulation (779) 177
Arce, A., see Gil-Loyzaga, P. (779) 53
Arvanov, V.L., see Wang, R.Y. (779) 309

Baird, A., see Fenton, H. (779) 262
Bart, R.D., see Morimoto, Y. (779) 170
Bellgowan, P.S.F., see Helmstetter, F.J. (779) 104
Bermúdez-Rattoni, F., see Escobar, M.L. (779) 314
Bodnar, R.J., see Pavlovic, Z.W. (779) 158
Borgers, M., see Dispersyn, G. (779) 350
Borowski, T., see Anisman, H. (779) 177
Bouma, M., see Enrico, P. (779) 205
Brooke, J.D., see Cheng, J. (779) 280

Caldarola-Pastuszka, M., see Wolf, A. (779) 84
Cardinali, D.P., see Gil-Loyzaga, P. (779) 53
Carr, K.D., Park, T.H., Zhang, Y. and Stone, E.A.
Neuroanatomical patterns of Fos-like immunoreactivity induced by naltrexone in food-restricted and ad libitum fed rats (779) 26
Cebere, A., see Cebers, G. (779) 194
Cebers, G., Cebere, A. and Liljequist, S.
Metabolic inhibition potentiates AMPA-induced Ca^{2+} fluxes and neurotoxicity in rat cerebellar granule cells (779) 194
Chao, V., see Escobar, M.L. (779) 314
Cheng, J., Brooke, J.D., Misiaszek, J.E. and Staines, W.R.
Crossed inhibition of the soleus H reflex during passive pedalling movement (779) 280
Chih, C.-P., see Roberts Jr., E.L. (779) 271
Chikuma, T., see Takeda, K. (779) 320
Choe, W., Stoica, G., Lynn, W. and Wong, P.K.Y.
Neurodegeneration induced by MoMuLV-*ts*1 and increased expression of Fas and TNF-α in the central nervous system (779) 1

Day, A.L., see Shimohama, S. (779) 359
De Jong, M., see Dispersyn, G. (779) 350
De la Torre, J.C., Nelson, N., Sutherland, R.J. and Pappas, B.A.
Reversal of ischemic-induced chronic memory dysfunction in aging rats with a free radical scavenger–glycolytic intermediate combination (779) 285
De Vries, J.B., see Enrico, P. (779) 205
De Weerd, H., see Van der Want, J.J.L. (779) 342
Dispersyn, G., Nuydens, R., De Jong, M., Borgers, M. and Geerts, H.
Altered $[Ca^{2+}]$ homeostasis in PC12 cells after nerve growth factor deprivation (779) 350
Dluzen, D.E., see Shang, Y. (779) 119
Domańska-Janik, K., see Zabłocka, B. (779) 254
Donahey, J.C.K., Van Dijk, G., Woods, S.C. and Seeley, R.J.
Intraventricular GLP-1 reduces short- but not long-term food intake or body weight in lean and obese rats (779) 75
Duffin, J.R., see Klein, B.G. (779) 136
Dutia, M.B., see Magnusson, A.K. (779) 334

Ebihara, S., see Yoshimura, T. (779) 188
Edgar, D.M., see Ruby, N.F. (779) 338
Eggleston, W.B., see Andreassi II, J.L. (779) 289
Enrico, P., Bouma, M., De Vries, J.B. and Westerink, B.H.C.
The role of afferents to the ventral tegmental area in the handling stress-induced increase in the release of dopamine in the medial prefrontal cortex: a dual-probe microdialysis study in the rat brain (779) 205
Escobar, M.L., Chao, V. and Bermúdez-Rattoni, F.
In vivo long-term potentiation in the insular cortex: NMDA receptor dependence (779) 314
Esquifino, A., see Gil-Loyzaga, P. (779) 53

Fenton, H., Finch, P.W., Rubin, J.S., Rosenberg, J.M., Taylor, W.G., Kuo-Leblanc, V., Rodriguez-Wolf, M., Baird, A., Schipper, H.M. and Stopa, E.G.
Hepatocyte growth factor (HGF/SF) in Alzheimer's disease (779) 262
Finch, P.W., see Fenton, H. (779) 262
Fishman, P.S. and Parks, D.A.
Death of transcallosal neurons after close axotomy (779) 231

Follett, K.A., see Yang, S.-w. (779) 41
Friedman, M.I., see Horn, C.C. (779) 17
Fu, G., see Andreassi II, J.L. (779) 289
Fueta, Y., Kawano, H., Ono, T., Mita, T., Fukata, K. and Ohno, K.
Regional differences in hippocampal excitability manifested by paired-pulse stimulation of genetically epileptic El mice (779) 324
Fukata, K., see Fueta, Y. (779) 324

Geerts, H., see Dispersyn, G. (779) 350
Georgiev, V.P. and Tchekalarova, J.D.
Interaction of angiotensin II and adenosine receptors in pentylenetetrazol-induced kindling in mice (779) 259
Gil-Loyzaga, P., Vicente-Torres, M.A., Arce, A., Cardinali, D.P. and Esquifino, A.
Effect of superior cervical ganglionectomy on catecholamine concentration in rat cochlea (779) 53
Gold, P.E., see Login, I.S. (779) 33
Gotoh, H., see Kato, H. (779) 329
Gramsbergen, A., see Van der Want, J.J.L. (779) 342
Greenwald, D.L., see Shimohama, S. (779) 359

Hall, E.D. and Yonkers, P.A.
Attenuation of motor nerve terminal repetitive discharge by the 21-aminosteroid tirilazad: evidence of a neural calcium antagonist action (779) 346
Hanada, K., see Ochi, K. (779) 276
Heller, H.C., see Ruby, N.F. (779) 338
Helmstetter, F.J., Tershner, S.A., Poore, L.H. and Bellgowan, P.S.F.
Antinociception following opioid stimulation of the basolateral amygdala is expressed through the periaqueductal gray and rostral ventromedial medulla (779) 104
Hertel, P., see Hildebrand, B.E. (779) 214
Hildebrand, B.E., Nomikos, G.G., Hertel, P., Schilström, B. and Svensson, T.H.
Reduced dopamine output in the nucleus accumbens but not in the medial prefrontal cortex in rats displaying a mecamylamine-precipitated nicotine withdrawal syndrome (779) 214
Hisaki, H., see Kubota, M. (779) 297
Horn, C.C. and Friedman, M.I.
2,5-Anhydro-D-mannitol induces Fos-like immunoreactivity in hindbrain and forebrain: relationship to eating behavior (779) 17
Hurd, Y.L., see Suzuki, M. (779) 58

Ichikawa, T. and Shimizu, T.
Organization of choline acetyltransferase-containing structures in the cranial nerve motor nuclei and spinal cord of the monkey (779) 96
IJkema-Paassen, J., see Van der Want, J.J.L. (779) 342
Imaizumi, T., Kocsis, J.D. and Waxman, S.G.
Resistance to anoxic injury in the dorsal columns of adult rat spinal cord following demyelination (779) 292

Jin, Y.-H., see Rhee, J.-S. (779) 9

Kajikawa, M., see Kato, H. (779) 329
Kalynchuk, L.E., Pinel, J.P.J. and Treit, D.
Long-term kindling and interictal emotionality in rats: effect of stimulation site (779) 149
Kaneko, S., see Shimohama, S. (779) 359
Kato, H., Gotoh, H., Kajikawa, M. and Suto, K.
Depolarization triggers intracellular magnesium surge in cultured dorsal root ganglion neurons (779) 329
Kato, T., see Takeda, K. (779) 320
Kawano, H., see Fueta, Y. (779) 324
Kimura, J., see Shimohama, S. (779) 359
Klein, B.G., White, C.F. and Duffin, J.R.
Rapid shifts in receptive fields of cells in trigeminal subnucleus interpolaris following infraorbital nerve transection in adult rats (779) 136
Kocsis, J.D., see Imaizumi, T. (779) 292
Kokkinidis, L., see Anisman, H. (779) 177
Kubota, M., Nakane, M., Narita, K., Nakagomi, T., Tamura, A., Hisaki, H., Shimasaki, H. and Ueta, N.
Mild hypothermia reduces the rate of metabolism of arachidonic acid following postischemic reperfusion (779) 297
Kuo-Leblanc, V., see Fenton, H. (779) 262

Liem, R.S.B., see Van der Want, J.J.L. (779) 342
Liljequist, S., see Cebers, G. (779) 194
Login, I.S., Pal, S.N., Adams, D.T. and Gold, P.E.
Muscimol increases acetylcholine release by directly stimulating adult striatal cholinergic interneurons (779) 33
Lynn, W., see Choe, W. (779) 1

Maeda, T., see Ochi, K. (779) 276
Maeda, T., see Shimohama, S. (779) 359
Magnusson, A.K., Sulaiman, M.R., Dutia, M.B. and Tham, R.
Effects of toluene on tonic firing and membrane properties of rat medial vestibular nucleus neurones in vitro (779) 334
Maternicka, K., see Zablocka, B. (779) 254
Matsushima, T., see Yanagihara, S. (779) 240
McClellan, A.D., see Rouse, D.T. (779) 301
Merali, Z., see Anisman, H. (779) 177
Meyer, E.M., see Shimohama, S. (779) 359
Miller, J.D., see Ruby, N.F. (779) 338
Misiaszek, J.E., see Cheng, J. (779) 280
Mita, T., see Fueta, Y. (779) 324
Morimoto, Y., Wu, B., Bart, R.D., Morimoto, Y., Pearlstein, R.D. and Warner, D.S.
Effects of NMDA receptor glycine recognition site antagonism on cerebral metabolic rate for glucose and cerebral blood flow in the conscious rat (779) 170
Morimoto, Y., see Morimoto, Y. (779) 170

Nakagomi, T., see Kubota, M. (779) 297
Nakane, M., see Kubota, M. (779) 297
Nakata, K., see Takeda, K. (779) 320
Narita, K., see Kubota, M. (779) 297
Nelson, N., see De la Torre, J.C. (779) 285
Ness, T.J., see Yang, S.-w. (779) 41
Nomikos, G.G., see Hildebrand, B.E. (779) 214
Nuydens, R., see Dispersyn, G. (779) 350

Ochi, K., Wakisaka, S., Youn, S.H., Hanada, K. and Maeda, T.
Carbonic anhydrase isozyme II immunoreactivity in the mechanoreceptive Ruffini endings of the periodontal ligament in rat incisor (779) 276
Ohno, K., see Fueta, Y. (779) 324
Ono, T., see Fueta, Y. (779) 324

Pal, S.N., see Login, I.S. (779) 33
Pappas, B.A., see De la Torre, J.C. (779) 285
Park, T.H., see Carr, K.D. (779) 26
Parks, D.A., see Fishman, P.S. (779) 231
Pavlovic, Z.W. and Bodnar, R.J.
Opioid supraspinal analgesic synergy between the amygdala and periaqueductal gray in rats (779) 158
Pearlstein, R.D., see Morimoto, Y. (779) 170
Pinel, J.P.J., see Kalynchuk, L.E. (779) 149
Piper, J.G., see Yang, S.-w. (779) 41
Poore, L.H., see Helmstetter, F.J. (779) 104

Quan, X., see Rouse, D.T. (779) 301

Rhee, J.-S., Jin, Y.-H. and Akaike, N.
Developmental changes of $GABA_A$ receptor-chloride channels in rat Meynert neurons (779) 9
Roberts Jr., E.L. and Chih, C.-P.
The pH buffering capacity of hippocampal slices from young adult and aged rats (779) 271
Rodriguez-Wolf, M., see Fenton, H. (779) 262
Rosenberg, J.M., see Fenton, H. (779) 262
Rothblat, D.S. and Schneider, J.S.
The effects of L-deprenyl treatment, alone and combined with GM1 ganglioside, on striatal dopamine content and substantia nigra pars compacta neurons (779) 226
Rouse, D.T., Quan, X. and McClellan, A.D.
Biophysical properties of descending brain neurons in larval lamprey (779) 301
Rubin, J.S., see Fenton, H. (779) 262
Ruby, N.F., Edgar, D.M., Heller, H.C. and Miller, J.D.
The aged suprachiasmatic nucleus is phase-shifted by cAMP in vitro (779) 338

Schilström, B., see Hildebrand, B.E. (779) 214
Schipper, H.M., see Fenton, H. (779) 262
Schneider, J.S., see Rothblat, D.S. (779) 226
Schwartz, J.-C., see Suzuki, M. (779) 58
Sedvall, G., see Suzuki, M. (779) 58
Seeley, R.J., see Donahey, J.C.K. (779) 75
Shafron, D.H., see Shimohama, S. (779) 359
Shang, Y. and Dluzen, D.E.
Castration reduces olfactory bulb norepinephrine transporter function as indicated by responses to noradrenergic uptake blockers (779) 119
Shimasaki, H., see Kubota, M. (779) 297
Shimizu, T., see Ichikawa, T. (779) 96
Shimohama, S., Greenwald, D.L., Shafron, D.H., Akaika, A., Maeda, T., Kaneko, S., Kimura, J., Simpkins, C.E., Day, A.L. and Meyer, E.M.
Nicotinic $\alpha 7$ receptors protect against glutamate neurotoxicity and neuronal ischemic damage (779) 359
Simpkins, C.E., see Shimohama, S. (779) 359
Sokoloff, P., see Suzuki, M. (779) 58
Staines, W.R., see Cheng, J. (779) 280
Stewart, J.K., see Andreassi II, J.L. (779) 289
Stoica, G., see Choe, W. (779) 1
Stone, E.A., see Carr, K.D. (779) 26
Stopa, E.G., see Fenton, H. (779) 262
Sulaiman, M.R., see Magnusson, A.K. (779) 334
Sutherland, R.J., see De la Torre, J.C. (779) 285
Suto, K., see Kato, H. (779) 329
Suzuki, M., Hurd, Y.L., Sokoloff, P., Schwartz, J.-C. and Sedvall, G.
D_3 dopamine receptor mRNA is widely expressed in the human brain (779) 58
Svensson, T.H., see Hildebrand, B.E. (779) 214

Takahashi, S., see Takeda, K. (779) 320
Takeda, K., Nakata, K., Takahashi, S., Chikuma, T. and Kato, T.
Effect of pentylenetetrazol treatment on cholecystokinin mRNA and peptide levels in rat hippocampus and cortex (779) 320
Tamura, A., see Kubota, M. (779) 297
Taylor, W.G., see Fenton, H. (779) 262
Tchekalarova, J.D., see Georgiev, V.P. (779) 259
Tershner, S.A., see Helmstetter, F.J. (779) 104
Tham, R., see Magnusson, A.K. (779) 334
Treit, D., see Kalynchuk, L.E. (779) 149
Tsai, J.-J., see Wu, F.-S. (779) 354

Ueta, N., see Kubota, M. (779) 297
Uphouse, L., see Wolf, A. (779) 84

Van der Want, J.J.L., Gramsbergen, A., IJkema-Paassen, J., De Weerd, H. and Liem, R.S.B.
Dendro-dendritic connections between motoneurons in the rat spinal cord: an electron microscopic investigation (779) 342
Van Dijk, G., see Donahey, J.C.K. (779) 75
Vicente-Torres, M.A., see Gil-Loyzaga, P. (779) 53
Vrbová, G., see White, C.M. (779) 125

Wakisaka, S., see Ochi, K. (779) 276
Wang, R.Y. and Arvanov, V.L.
M100907, a highly selective 5-HT_{2A} receptor antagonist and a potential atypical antipsychotic drug, facilitates induction of long-term potentiation in area CA1 of the rat hippocampal slice (779) 309
Warner, D.S., see Morimoto, Y. (779) 170
Waxman, S.G., see Imaizumi, T. (779) 292
Westerink, B.H.C., see Enrico, P. (779) 205
White, C.F., see Klein, B.G. (779) 136
White, C.M. and Vrbová, G.
Recovery of rat skeletal muscles after partial denervation is enhanced by treatment with nifedipine (779) 125
Wolf, A., Caldarola-Pastuszka, M. and Uphouse, L.
Facilitation of female rat lordosis behavior by hypothalamic infusion of 5-$HT_{2A/2C}$ receptor agonists (779) 84
Wong, P.K.Y., see Choe, W. (779) 1
Woods, S.C., see Donahey, J.C.K. (779) 75
Wu, B., see Morimoto, Y. (779) 170
Wu, F.-S., Yu, H.-M. and Tsai, J.-J.
Mechanism underlying potentiation by progesterone of the kainate-induced current in cultured neurons (779) 354

Yagi, T., see Yanagihara, S. (779) 240
Yanagihara, S., Yagi, T. and Matsushima, T.
Distinct mechanisms for expression of Fos-like immunoreactivity and synaptic potentiation in telencephalic hyperstriatum of the quail chick (779) 240
Yang, S.-w., Follett, K.A., Piper, J.G. and Ness, T.J.
The effect of morphine on responses of mediodorsal thalamic nuclei and nucleus submedius neurons to colorectal distension in the rat (779) 41
Yonkers, P.A., see Hall, E.D. (779) 346
Yoshimura, T. and Ebihara, S.
Decline of circadian photosensitivity associated with retinal degeneration in CBA/J-*rd*/*rd* mice (779) 188
Youn, S.H., see Ochi, K. (779) 276
Yu, H.-M., see Wu, F.-S. (779) 354

Zabłocka, B., Maternicka, K., Zalewska, T. and Domańska-Janik, K.
Expression of Ca^{2+}-dependent (classical) PKC mRNA isoforms after transient cerebral ischemia in gerbil hippocampus (779) 254
Zalewska, T., see Zabłocka, B. (779) 254
Zhang, Y., see Carr, K.D. (779) 26